

STANDARD INFORMATION

Standard Number: ASME A112.19.3 / CSA B45.4
Standard Name: Stainless Steel Plumbing Fixtures
Standard Edition and Issue Date: 2017 Edition Dated March 10, 2017
Date of Revision: March 10, 2017
Date of Previous Revision of Standard: January 1, 2013

EFFECTIVE DATE OF NEW/REVISED REQUIREMENTS

Effective Date: **October 5, 2018**

IMPACT, OVERVIEW, AND ACTION REQUIRED

Impact Statement: A review of all Listing Reports is necessary to determine which products comply with new/revised requirements and which products will require re-evaluation. **NOTE:** Effective immediately, this revised standard will be exclusively used for evaluation of new products unless the Applicant requests in writing that current requirements be used along with their understanding that their listings will be withdrawn on Effective Date noted above, unless the product is found to comply with new/revised requirements.

Overview of Changes:

- New section Performance Overflows
- New section on bathtubs

Specific details of new/revised requirements are found in table below.

If the applicable requirements noted in the table are not described in your report(s), these requirements will need to be confirmed as met and added to your report(s) such as markings, instructions, test results, etc. (as required).

Client Action Required:

Information – To assist our Engineer with review of your Listing Reports, please submit technical information in response to the new/revised paragraphs noted in the attached or explain why these new/revised requirements do not apply to your product (s).

Current Listings Not Active? – Please immediately identify any current Listing Reports or products that are no longer active and should be removed from our records. We will do this at no charge as long as Intertek is notified in writing prior to the review of your reports.



STANDARD INFORMATION

CLAUSE	VERDICT	COMMENT
		<i>Additions to existing requirements are <u>underlined</u> and deletions are shown lined out below.</i>
4	Info	General requirements
4.4	Info	Waste fitting openings, drainage, and overflows
4.4.2	Info	Overflows
4.4.2.1	Info	Lavatories, sinks, and bidets
4.4.2.1.3		<i>New clause added;</i> Overflows shall comply with Clause 5.4.
4.4.2.2		<i>New clause added;</i> Bathtubs Overflows in bathtubs may be provided at the option of the manufacturer. When overflows are provided, their dimension, location, and position in relation to the waste outlet in the fixture shall be as shown in Figure 7. Variations in location, geometry, diameter, and angle of orientation of the overflow opening shall be acceptable when factory-provided waste and overflow fittings are used. Note: Some plumbing codes require bathtub overflows.
CUSTOMERS PLEASE NOTE: This Table and column “Verdict” can be used in determining how your current or future production is or will be in compliance with new/revised requirements.		