

Issued: August 1, 2016 Amended: January 16, 2017

Standard Information

AMENDMENT – This Amendment removes new toaster and toaster oven requirements from this SUN. Toasters and toaster ovens will have a separate future Effective Date that is to be announced.

Standard Number: UL 1026

Standard Name: Standard for Safety for Electric Household Cooking and Food Serving Appliances

Standard Edition and Issue Date: 6th Edition Dated January 27, 2012

Date of Revision: January 20, 2016

Date of Previous Revision to Standard: 6th Edition Dated August 10, 2015

Effective Date of New/Revised Requirements

Effective Date (see Schedule below): September 19, 2017

Impact, Overview, Fees and Action Required

Impact Statement: A review of all Listing Reports is necessary to determine which products comply with new/revised requirements and which products will require re-evaluation. **NOTE:** Effective immediately, this revised standard will be exclusively used for evaluation of new products unless the Applicant requests in writing that current requirements be used along with their understanding that their listings will be withdrawn on Effective Date noted above, unless the product is found to comply with new/revised requirements.

Overview of Changes: Revised to add slow cooker supply cord requirements. Specific details of new/revised requirements are found in table below.

If the applicable requirements noted in the table are not described in your report(s), these requirements will need to be confirmed as met and added to your report(s) such as markings, instructions, test results, etc. (as required).

Client Action Required:

Information – To assist our Engineer with review of your Listing Reports, please submit technical information in response to the new/revised paragraphs noted in the attached or explain why these new/revised requirements do not apply to your product (s).

Current Listings Not Active? – Please immediately identify any current Listing Reports or products that are no longer active and should be removed from our records. We will do this at no charge as long as Intertek is notified in writing prior to the review of your reports.



Issued: August 1, 2016 Amended: January 16, 2017

Description of New/Revised Technical Requirements

| Clause | Verdict | Comment |
|-------------|---------|---|
| 1.4 | | These requirements do not cover slow cookers intended for outdoor use. |
| Table 10.1 | | Reduced maximum cord length allowed for Slow cookers for indoor use from 7.0 feet (2.1M) to 3.0 feet (0.9m) |
| 22.11 | | Deleted: Item (b) The Standard for Special-Use Switches, UL 1054; as an acceptable standard for Manually operated snap-switches to be evaluated to. |
| 22.12.1 | | Additionally, if a clock operated switch incorporates a stay-on feature which is activated in the same direction as the countdown to OFF, two operations are required to engage the stay-on feature. Note: The clock-operated switch referenced in 22.12.1 shall turn the appliance OFF with a single action or operation. |
| 22.12.2 | | Only one operation shall be required to turn the stay-on feature off. |
| 55.2.10.6 | | A single fault condition as described in 55.2.10.1 shall not result in a condition where both the primary and secondary operating controls fail to open the circuit. |
| 62.1 | | To determine compliance with 67.25 <u>and 67.27</u> , representative samples that have been subjected to the tests described in 62.3 – 62.6, shall meet the following requirements: |
| 67.15 | Info | Revised and relocated as 69.11 |
| 67.16 | Info | Revised and relocated as 69.12 |
| 67.17 | Info | Revised and relocated as 69.14 |
| Figure 67.1 | | Figure 67.1 Warning tag WARNING Spilled food can cause serious burns. Keep appliance & cord away from children. NEVER: Drape cord over edge of counter. Use outlet below counter. Use extension cord. su2003 Click the link below to download the image from the UL.com website. http://ulstandards.ul.com/downloads/warning-marking/ |



Issued: August 1, 2016 Amended: January 16, 2017

| Clause | Verdict | Comment |
|--------|---------|--|
| 67.28 | | All letters in the message panel illustrated in Figure 67.1 shall be black on a white background. Upper case letters shall not be less than 0.08 inch (2.0 mm) in height, and lower case letters shall not be less than 0.06 inch (1.5 mm) in height. |
| 67.29 | | The signal word "WARNING" illustrated in Figure 67.1 shall be in letters not less than 1.5 times the height of the upper case letters in the message panel. The background shall be safety orange. The safety alert symbol shall consist of a safety orange or white exclamation mark inside a black triangle. |
| 67.30 | | The warning tag shall provide the pictorial warning illustrated in Figure 67.1. The illustration shall be in black, with the check mark in green and the slash mark in red. The width of the illustration panel shall not be less than 1 inch (25.4 mm) and the height not less than 1.5 inches (38.1 mm). |
| 69.11 | | An appliance shall be provided with the instructions in 69.12 – 69.14, as applicable. These instructions need not be part of the Important Safeguards described in Sections 70 and 71. |
| 69.12 | | An appliance other than a slow cooker provided with a flexible cord less than 4-1/2 feet (1.4 m) in length shall be provided with the following information: a) A short power-supply cord (or detachable power-supply cord) should be used to reduce the risk resulting from becoming entangled in or tripping over a longer cord. b) Longer detachable power-supply cords or extension cords are available and may be used if care is exercised in their use. c) If a longer detachable power-supply cord or extension cord is used: 1) The marked electrical rating of the cord set or extension cord should be at least as great as the electrical rating of the appliance; 2) The cord should be arranged so that it will not drape over the countertop or tabletop where it can be pulled on by children or tripped over unintentionally; and 3) If the appliance is of the grounded type, the cord set or extension cord should be a grounding-type 3-wire cord. |
| 69.13 | | A slow cooker shall be provided with the following statement: "A short power-supply cord is used to reduce the risk resulting from it being grabbed by children, becoming entangled in, or tripping over a longer cord." |
| 69.14 | | An appliance which is intended for outdoor use shall be provided with the information in 69.12 (b) and (c) and the following information: a) Outdoor extension cords should be used with outdoor use products and are surface marked with the suffix letter "W" and with a tag stating "Suitable for use with outdoor appliances." b) A statement indicating that the connection to an extension cord should be kept dry and off the ground. c) "Store products indoors when not in use – out of the reach of children." d) "Do not clean this product with a water spray or the like." (This statement may be omitted if the results of a special water hose spray test are acceptable.) |
| 69.15 | | A cautionary marking that is required to be on an appliance, including a cord tag, shall be repeated in its entirety or with an equivalent wording in the instruction manual. The marking may be included in the Important Safeguards. This requirement is fulfilled by 71.13 for the cord tag required in 67.27. |



Issued: August 1, 2016 Amended: January 16, 2017

| Clause | Verdict | Comment |
|--------|---------|---|
| 71.12 | Info | Revised and relocated as 69.15 |
| 71.13 | | Slow cookers: 1) "Intended for countertop use only." 2) "WARNING: Spilled food can cause serious burns. Keep appliance and cord away from children. Never drape cord over edge of counter, never use outlet below counter, and never use with an extension cord." |
| | | |
| | | CUSTOMERS PLEASE NOTE: This Table and column "Verdict" can be used in determining how your current or future production is or will be in compliance with new/revised requirements. |