

## STANDARD INFORMATION

**Standard Number:** UL 1897

**Standard Name:** Uplift Tests for Roof Covering Systems

**Standard Edition and Issue Date:** 7<sup>th</sup> Edition Dated September 23, 2015

**Date of Revision:** September 23, 2015

**Date of Previous Revision of Standard:** 6<sup>th</sup> Edition Dated September 14, 2012

## EFFECTIVE DATE OF NEW/REVISED REQUIREMENTS

**Effective Date:** **November 30, 2019**

## IMPACT, OVERVIEW, AND ACTION REQUIRED

**Impact Statement:** A review of all Listing Reports is necessary to determine which products comply with new/revised requirements and which products will require re-evaluation. **NOTE:** Effective immediately, this revised standard will be exclusively used for evaluation of new products unless the Applicant requests in writing that current requirements be used along with their understanding that their listings will be withdrawn on Effective Date noted above, unless the product is found to comply with new/revised requirements.

**Overview of Changes:** This new edition of ANSI/UL 1897 was issued to incorporate clarification related to the conditions of acceptance, and to include the 2 x 2 pull test and 5 x 9 wind uplift test methods. Specific details of new/revised requirements are found in table below.

**If the applicable requirements noted in the table are not described in your report(s), these requirements will need to be confirmed as met and added to your report(s) such as markings, instructions, test results, etc. (as required).**

### Client Action Required:

**Information** – To assist our Engineer with review of your Listing Reports, please submit technical information in response to the new/revised paragraphs noted in the attached or explain why these new/revised requirements do not apply to your product (s).

***Current Listings Not Active? – Please immediately identify any current Listing Reports or products that are no longer active and should be removed from our records. We will do this at no charge as long as Intertek is notified in writing prior to the review of your reports.***

















